Journée thématique autour de la renormalisation

Rapport sur les contributions

ID de Contribution: 1 Type: Non spécifié

Jonas Lampart : Singular perturbations and renormalisation in non-relativistic quantum field theory

lundi 12 juin 2023 15:00 (1 heure)

Jonas Lampart : Singular perturba...

I will explain the relation of ultra-violet renormalisation to the theory of singular perturbations of self-adjoint operators in some examples from non-relativistic quantum field theory.

After introducing the relevant formalism, I will discuss in detail a toy model of particle creation and annihilation at a point source.

I will then outline how the same approach can be extended to more interesting models in which non-relativistic particles interact with a quantum field.

An example is the Bogoliubov-Fröhlich Hamiltonian, modelling the interaction of an impurity in a Bose-Einstein Condensate with the field of Bogoliubov excitations.

April 20, 2024 Page 1

ID de Contribution: 2 Type: Non spécifié

Nils Berglund: Renormalisation of static and dynamic Phi⁴_d models

lundi 12 juin 2023 11:00 (1 heure)

Nils Berglund: Renormalisation of ...

The static Phi 4 model on the d-dimensional torus is a well-known toy model in Euclidean quantum field theory. It is well-posed for d = 1, and its renormalisation is well-understood for d = 2 and d = 3, thanks to works by Glimm, Jaffe, and many others. In the dynamic case, the model becomes a stochastic PDE, motivated by the idea of stochastic quantization. It is well-posed for d = 1. A proof of existence of solutions to a renormalised version for d = 2 has been obtained by Da Prato and Debussche in 2003, while the case d = 3 was first solved by Martin Hairer in 2014, using his theory of regularity structures. I will provide an overview of these results, focusing on algebraic techniques of the proofs, and briefly address more general recent results on renormalisation of singular SPDEs.

The talk is partly based on the book https://ems.press/books/elm/232

April 20, 2024 Page 2

ID de Contribution: 3 Type: Non spécifié

Slava Rychkov: Real-space renormalization of lattice models using tensor networks

lundi 12 juin 2023 13:30 (1 heure)

Slava Rychkov : Real-space renor ...

Critical points of lattice models, such as the 3d Ising model, are conjectured by Kenneth Wilson in 1970's to correspond to fixed points of renormalization group transformations. I will discuss the status of this conjecture, a novel class of renormalization group transformations using the language of tensor networks, a few results which were recently obtained using this language for the high and low-temperature phases of 2d models, and the ongoing progress towards the construction of a nontrivial 2d fixed point. Joint work with Tom Kennedy and Nikolay Ebel.

April 20, 2024 Page 3